

Author Index

- Abiko, K., 169
Appello, M., 69
Aritomi, N., 85
- Bourell, D. L., 25
Brown, C. A., 31
- Cádek, J., 201
Castro, F. R., 77
Christman, T., 211
- Dalgleish, B. J., 57
Dan, T., 85
Delgado, L. A., 227
Dervenis, C. P., 151
- Ervin, D. R., 25
Evans, A. G., 57
- Fauchais, P., 1
Fenici, P., 69
Fournelle, R. A., 271
Fuentes, M., 77
- Gan, D., 193
Gu, G., L5
Guo, J., L5
Gutierrez, I., 77
- Hamberg, K., 217
Hermann, R., 39
Ho, N. J., 49, 125
Hochman, R. F., 151
Hu, G.-X., 237
- Ju, C. P., 281
- Karlsson, B., 217
Khalifa, T. A., 175
Kimura, H., 169
Kimura, T., 85
Klueh, R. L., 115
Kozlov, A. V., 143
Kuchařová, K., 201
Kumar, A., 131
- Lai, Z., 13
Laird, C., 247
Lang, Z., 237
Langer, E. W., L9
Lee, E. H., 115
Lee, Y. T., 105
Li, M., 237
Li, Q., L5
- Ma, B.-T., 247
Maziasz, P. J., 115
McColskey, J. D., 227
McCowan, C. N., 227
Meletis, E. I., 151
Michel, D. J., 161
- Nicoară, D., L1
Nicoară, I., L1
- Ogawa, K., 85
O'Handley, R. C., 97
Oikawa, H., 201
Orlová, A., 201
- Persad, C., 25
Peters, M., 105
Piao, G., 13
- Rabenberg, L., 25
Reed, R. P., 227
Rigsbee, J. M., 281
Ritchie, R. O., 181
- Saito, N., 169
Samuel, F. H., 259
Selister, S. I., 143
Shaarbaf, M., 271
Shang, J. K., 181
Singh, D. B., 131
Smith, H. H., 161
Surappa, M. K., 31
Suresh, S., 211
- Thouless, M. D., 57
Tjong, S. C., 49, 125
Tronche, A., 1
- Urcola, J. J., 77
- Walsh, R. P., 227
Wang, S. Q., 17
Wang, Z. G., 17
Wasén, J., 217
Wirth, G., 105
Wu, L. T., 49
Wu, S. S., 193
- Yang, C. J., 97
Yang, Z. A., 17
Yu, W., 181
- Zhang, Y.-H., 237
Zhuang, L. Z., L9
Zulfequar, M., 131



Subject Index

Acoustoplastic effect

- peculiarities in the plastic deformation of crystals subjected to the acoustoplastic effect, 143

Alloy

- a study of the crack tip behaviour of pre-exposed aluminium alloys using the shadow optical method of caustics, 39
- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- corrosion fatigue in Al-Li alloy 2090, 151
- creep in an aluminium alloy strengthened by Al_4C_3 particles, 201
- cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49
- discontinuous coarsening of lamellar discontinuous precipitate in an Al-29.5at.%Zn alloy, 271
- effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9
- effects of thermal and thermomechanical treatments on the mechanical properties of centrifugally cast alloy 718, 161
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85
- reduction of intergranular fracture in Fe-P alloys by the addition of nickel, 169
- role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composites, 181
- solution heat treatment of a Cu-Cr-Zr alloy, 69
- structure and properties of high energy, high rate consolidated molybdenum alloy TZM, 25
- transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Aluminium

- a study of the crack tip behaviour of pre-exposed aluminium alloys using the shadow optical method of caustics, 39
- corrosion fatigue in Al-Li alloy 2090, 151
- creep in an aluminium alloy strengthened by Al_4C_3 particles, 201
- cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49
- discontinuous coarsening of lamellar discontinuous precipitate in an Al-29.5at.%Zn alloy, 271
- effect of grain size on cyclic creep behaviour in a commercially pure aluminium at room temperature, 17
- effect of moisture on the dielectric behaviour of hot-pressed AlN ceramic, 131
- effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211
- effects of thermomechanical treatment on microstructure and mechanical properties of blended elemental Ti-6Al-4V compacts, 105

- frictional behaviour against steel of aluminium substrates plasma-sprayed with hard coatings, 1
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85
- role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composites 181
- static recrystallization kinetics of commercial purity aluminium after hot deformation with the steady state regime, 77
- the machinability of a cast aluminium alloy-graphite particle composite, 31
- transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Austenite

- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115

Boron

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- sintered magnets made from moderately overquenched Fe-Nd-B-based powders, 97

Carbon

- creep in an aluminium alloy strengthened by Al_4C_3 particles, 201
- cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49
- effect of inclusions on the fatigue limit of a heat-treated carbon steel, 175
- effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211
- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115

Caustics

- a study of the crack tip behaviour of pre-exposed aluminium alloys using the shadow optical method of caustics, 39

Ceramic

- effect of moisture on the dielectric behaviour of hot-pressed AlN ceramic, 131

Chromium

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9
- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115
- solution heat treatment of a Cu-Cr-Zr alloy, 69

Coarsening

discontinuous coarsening of lamellar discontinuous precipitate in an Al-29.5at.%Zn alloy, 271

Cobalt

effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9

Composite

effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211

role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composite, 181

the machinability of a cast aluminium alloy-graphite particle composite, 31

Copper

dislocation structures of copper single crystals for fatigue tests under variable amplitudes, 247

solution heat treatment of a Cu-Cr-Zr alloy, 69

Corrosion

corrosion fatigue in Al-Li alloy 2090, 151

creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237

Crack growth

effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211

role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composites, 181

the influence of grain size and fracture surface geometry on the near-threshold fatigue crack growth in ferritic steels, 217

Crack tip

a simplified expression for the crack tip strain of a stationary crack in a hardening material, 13

a study of the crack tip behaviour of pre-exposed aluminium alloys using the shadow optical method of caustics, 39

Creep

creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237

creep in an aluminium alloy strengthened by Al₄C₃ particles, 201

effect of grain size on cyclic creep behaviour in a commercially pure aluminium at room temperature, 17

Crystal growth

an improved Bridgman-Stockbarger crystal growth system, L1

Damage

interfacial coherency and hydrogen damage in plain carbon steel, 281

cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49

peculiarities in the plastic deformation of crystals subjected to the acoustoplastic effect, 143

static recrystallization kinetics of commercial purity aluminium after hot deformation with the steady state regime, 77

Dielectric behaviour

effect of moisture on the dielectric behaviour of hot-pressed AlN ceramic, 131

Dislocation structures

dislocation structures of copper single crystals for fatigue tests under variable amplitudes, 247

Ductility

tensile strength and ductility of indium, 227

Fatigue

corrosion fatigue in Al-Li alloy 2090, 151

dislocation structures of copper single crystals for fatigue tests under variable amplitudes, 247

effect of inclusions on the fatigue limit of a heat-treated carbon steel, 175

effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9

effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211

role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composites, 181

the influence of grain size and fracture surface geometry on the near threshold fatigue crack growth in ferritic steels, 217

Fracture

effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9

reduction of intergranular fracture in Fe-P alloys by the addition of nickel, 169

the influence of grain size and fracture surface geometry on the near-threshold fatigue crack growth in ferritic steels, 217

Friction

frictional behaviour against steel of aluminium substrates plasma-sprayed with hard coatings, 1

Grain size

effect of grain size on cyclic creep behaviour in a commercially pure aluminium at room temperature, 17

the influence of grain size and fracture surface geometry on the near-threshold fatigue crack growth in ferritic steels, 217

Graphite

the machinability of a cast aluminium alloy-graphite particle composite, 31

Hydrogen

interfacial coherency and hydrogen damage in plain carbon steel, 281

Inclusions

effect of inclusions on the fatigue limit of a heat-treated carbon steel, 175

Indium

tensile strength and ductility of indium, 227

Interfacial coherency

interfacial coherency and hydrogen damage in plain carbon steel, 281

Iron

- cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49
- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85
- reduction of intergranular fracture in Fe-P alloys by the addition of nickel, 169
- sintered magnets made from moderately overquenched Fe-Nd-B-based powders, 97
- transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Lithium

- corrosion fatigue in Al-Li alloy 2090, 151

Machinability

- the machinability of a cast aluminium alloy-graphite particle composite, 31

Magnet

- sintered magnets made from moderately overquenched Fe-Nd-B-based powders, 97

Manganese

- cyclic deformation of duplex Fe-30Mn-10Al-0.4C alloy at room temperature, 49
- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85
- transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Martensite

- transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Mechanical properties

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- effects of thermal and thermomechanical treatments on the mechanical properties of centrifugally cast alloy 718, 161
- effects of thermomechanical treatment on microstructure and mechanical properties of blended elemental Ti-6Al-4V compacts, 105

Microstructure

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- effects of thermomechanical treatment on microstructure and mechanical properties of blended elemental Ti-6Al-4V compacts, 105

Molybdenum

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9
- structure and properties of high energy, high rate consolidated molybdenum alloy TZM, 25

Neodymium

- sintered magnets made from moderately overquenched Fe-Nd-B-based powders, 97

Nickel

- creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85
- reduction of intergranular fracture in Fe-P alloys by the addition of nickel, 169

Nitrogen

- effect of moisture on the dielectric behaviour of hot-pressed AlN ceramic, 131

Oxygen

- creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237

Partition ratio

- the partition ratio at a solid-liquid interface under the influence of a temperature gradient and an external force field, L5

Phosphorus

- reduction of intergranular fracture in Fe-P alloys by the addition of nickel, 169

Precipitate

- discontinuous coarsening of lamellar discontinuous precipitate in an Al-29.5at.%Zn alloy, 271

Recrystallization

- static recrystallization kinetics of commercial purity aluminium after hot deformation with the steady state regime, 77

Sectioning

- determining the shape of cylindrical second phases by two-dimensional sectioning, 57

Segregation

- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85

Silicon

- effects of SiC reinforcement and aging treatment on fatigue crack growth in an Al-SiC composite, 211
- microsegregation of aluminium, silicon and manganese in Fe-10mass%Ni alloy ingot, 85

Silicon carbide

- role of silicon carbide particles in fatigue crack growth in SiC-particulate-reinforced aluminum alloy composites, 181

Stainless steel

- the effects of grain boundary carbide on the low temperature tensile properties of type 316 stainless steel, 193

Steel

- characterization of a Cr-Mo-B high strength, low alloy steel: Relationship between the microstructure and mechanical properties, 259
- effect of inclusions on the fatigue limit of a heat-treated carbon steel, 175
- frictional behaviour against steel of aluminium substrates plasma-sprayed with hard coatings, 1
- interfacial coherency and hydrogen damage in plain carbon steel, 281
- manganese as an austenite stabilizer in Fe-Cr-Mn-C steels, 115

the influence of grain size and fracture surface geometry on the near-threshold fatigue crack growth in ferritic steels, 217

Strain

a simplified expression for the crack tip strain of a stationary crack in a hardening material, 13

transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Stress intensity factor

effect of the range of the stress intensity factor on the appearance of localized fatigue fracture in cast Co-Cr-Mo alloy used for surgical implants, L9

Structure

structure and properties of high energy, high rate consolidated molybdenum alloy TZM, 25

Sulphur

creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237

Superalloy

creep-corrosion interaction of a nickel-based superalloy in an SO₂-air environment, 237

Tensile properties

the effects of grain boundary carbide on the low temperature tensile properties of type 316 stainless steel, 193

Tensile strength

tensile strength and ductility of indium, 227

Titanium

effects of thermomechanical treatment on microstructure and mechanical properties of blended elemental Ti-6Al-4V compacts, 105

Transmission electron microscopy

transmission electron microscopy observations of strain-induced martensite formation in fatigued Fe-21Mn-2.5Al alloy, 125

Vanadium

effects of thermomechanical treatment on microstructure and mechanical properties of blended elemental Ti-6Al-4V compacts, 105

Zinc

discontinuous coarsening of lamellar discontinuous precipitate in an Al-29.5at.%Zn alloy, 271

Zirconium

solution heat treatment of a Cu-Cr-Zr alloy, 69

U·M·I

INCORRECT VOLUME NUMBER, SHOULD
READ VOLUME A102.